



PFI4639CC
22/11/19

Protect & Glow Powder Foundation SPF 50

Description:

“Protect & Glow Powder Foundation SPF 50” was developed to provide light and natural coverage while protecting the skin from aging due to GRASE mineral UV-filters. This foundation is extremely soft to the touch and easy to apply. It has a powdery skin feel, yet it gives a luminous and healthy-looking glow to dull skin.

Key ingredients:

- Creasperse® CC HVO is a ready-to-use colour shade dispersion based on Hydrogenated Vegetable Oil, that was especially developed for CC creams and SPF foundations. It provides an even coverage and efficiently protects the skin from UVAs.
- Creasperse® TR 35 HVO 65 is a ready-to-use predispersed UV-filter based on Titanium Dioxide and Hydrogenated Vegetable Oil. It provides high SPF and water resistance, with a soft skin feel.
- NovaPowder® is an asbestos-free talc substitute that improves skin adherence and provides mattifying effect due to its oil absorption properties. It also gives an incredible softness to powder formulations.

Ingredient	Phase	INCI Name	Qty%	Function
Dedraflow® 5 Luxe	A	Hydrogenated Vegetable Oil (and) Hydrogenated Polyisobutene	34,00%	Photostable emollient, Drying agent, Cyclopentasiloxane replacement
Veggilano® White Gold		Lanolin	8,00%	Nourishing
Creage!® Crystal 10 ISO 16128		Hydrogenated Vegetable Oil (and) Ethylene/Propylene Copolymer	13,50%	Viscosity modifier, Thickener
Hectone® HVO		Hydrogenated Vegetable Oil (and) Distearidimonium Hectorite (and) Propylene Carbonate	14,50%	Thixotropic, Thickener
Creasperse® CC HVO Fair Beige		Titanium Dioxide (CI 77891) (and) Hydrogenated Vegetable Oil (and) Iron Oxides (CI 77492) (and) Distearidimonium Hectorite (and) Iron Oxides (CI 77491) (and) Propylene Carbonate (and) Iron Oxides (CI 77499)	14,00%	UV-filter, Coverage
Creasperse® TR 35 HVO 65		Titanium Dioxide (CI 77891) (and) Hydrogenated Vegetable Oil (and) Polyhydroxystearic Acid	6,00%	UV-filter
NovaPowder®	B	Kaolin (and) Corn Starch Modified (and) Hydrogenated Vegetable Oil	5,00%	Softness
Bismuth Oxychloride		Bismuth Oxychloride	5,00%	Softness, High Shine

ISO 24443 *In Vitro* measurements: SPF: 50 UVA ratio: 3,88 UVA-PF: 12,88 Critical wavelength: 379,5

Procedure:

Weigh phase A and put under stirring until homogenization.
Homogenize at 5000 rpm for 5 minutes.
Then add phase B under stirring and homogenize.

ISO 16128 Indexes:

Natural Origin Content: 78,44%
Natural Content: 8%

Organic Origin Content: 0%
Organic Content: 0%

Important:

Dedraflow® 5 Luxe should not be heated.
Hectone® HVO should be homogenized before use.
Creasperse® CC HVO Fair Beige should be homogenized before use.
Creasperse® TR 35 HVO 65 should be homogenized before use.