



PFI4879CC
12/05/20

Soft "Doubly Lips" SPF 136 - Real Red

Description:

"Soft "Doubly Lips" SPF 136 - Real Red" is a colourful lipgloss that provides shine and intense pigmentation. It is extremely long-lasting due to Creasil® 12 TTH and it is ideal for day wear as it protects the lips from UV rays with Creasperse® TR 35 HVO 65.

Key ingredients:

- Creagel® Crystal 40 ISO 16128 is an anhydrous gel based on a mixture of synthetic and natural thickened lipids. It is a transparent viscosity modifier and film former. It forms a pseudoplastic film on the skin, which leaves a silky and smooth after feel.
- Creasperse® TR 35 HVO 65 is a ready-to-use predispersed UV-filter based on Titanium Dioxide and Hydrogenated Vegetable Oil. It provides high SPF and water resistance, with a soft skin feel.
- Creasperse® Real Red is a ready-to-use predispersed colourant that provides a rich, intense and long-lasting colour. As it is heat- and photostable, it is ideal for wax-based products such as lipsticks.

Ingredient	Phase	INCI Name	Qty%	Function
Creagel® Crystal HPB	A	Hydrogenated Polyisobutene (and) Ethylene/Propylene Copolymer	36,00%	Viscosity modifier, Rheology modifier, Film former
Creagel® Crystal 40 ISO 16128		Hydrogenated Vegetable Oil (and) Ethylene/Propylene Copolymer	32,00%	Film former, Rheology modifier
Creasperse® TR 35 HVO 65	B	Titanium Dioxide (CI 77891) (and) Hydrogenated Vegetable Oil (and) Polyhydroxystearic Acid (and) Stearic Acid (and) Aluminum Hydroxide	8,00%	UV-filter
Creasil® 12 TTH		Trimethylsiloxysilicate (and) Isododecane (and) Alcohol (and) Hydrogenated Rosin	4,00%	Long lasting application, Drying agent
Creasperse® Real Red	C	Hydrogenated Polydecene (and) Red 30 Lake (CI 73360) (and) Red 6 Lake (CI 15850) (and) Polyhydroxystearic Acid	20,00%	Pigment dispersion

ISO 24443 *In Vitro* measurements: SPF: 136 UVA ratio: 0,757 UVA-PF: 36,09 Critical wavelength: 383,25

Procedure:

Weigh phase A and put under stirring until homogenization.
When phase A is homogeneous, add phase B.
Leave under stirring until homogenization.
Then add phase C.

Efficacy Testing

2 subjects - On the hand:
- Microcirculation increase of 21%

ISO 16128 Indexes:

Natural Origin Content: 40,98%
Natural Content: 0%

Organic Origin Content: 0%
Organic Content: 0%

Important:

Creasperse® TR 35 HVO 65 should be homogenized before use.
Creasil® 12 TTH should not be heated.
Creasperse® Real Red should be homogenized before use.