



PFI5673CS
01/05/2021

Oumuamua, Night Magic Repair

Description:

This "Oumuamua, Night Magic Repair" is an ideal skin care product to take care of dry and mature skins. It deeply hydrates, repairs and protects the skin from premature aging.

Key ingredients:

- Hectone® HVO is a thickener and rheological additive based on predispersed organoclays. Based on Hydrogenated Vegetable Oil, It imparts a soft and rich skin feel upon application.
- Creagel® Crystal 10 ISO 16128 is an anhydrous gel based on a mixture of synthetic and natural thickened lipids. It is a transparent viscosity modifier and film former. It forms a pseudoplastic film on the skin, which leaves a silky and smooth after feel.
- Nordic Beauty Avena Finlandia is a natural oil that concentrates all the benefits of oat (*Avena Sativa*). It is extremely rich in phospholipids, sterols, essential fatty acids and vitamin E. It deeply moisturises, repairs and soothes the skin.

Ingredient	Phase	INCI Name	Qty%	Function
Hectone® HVO	A	Hydrogenated Vegetable Oil (and) Disteardimonium Hectorite (and) Propylene Carbonate	44,40%	Texturizer
Creagel® Crystal 100 ISO 16128		Hydrogenated Vegetable Oil (and) Ethylene/Propylene Copolymer	27,50%	Viscosity modifier, Film former, Thickener
Creasterol® CH		C10-30 Cholesterol/Lanosterol Esters (and) Lanolin	8,00%	Skin protecting
Nordic Beauty Avena Finlandia		Avena Sativa (Oat) Kernel Oil	5,00%	Emollient, Nourishing
Lavandula Angustifolia (Lavender) Oil	B	Lavandula Angustifolia (Lavender) Oil	0,10%	–
Fiflow® BTX	C	Perfluorohexane (and) Perfluoroperhydrophenanthrene (and) Perfluorodecalin (and) Perfluorodimethylcyclohexane	15,00%	Anti-wrinkle, Anti-age, Oxygenating agent

Procedure

Weigh phase A and put under stirring until homogeneous.
Add phase B.
Put the base into fridge to obtain a temperature below 10°C.
Add the Fiflow® quickly under stirring.
Homogenize at 4000 rpm during few seconds.

Efficacy Testing

2 subjects - On the hand:
- Skin hydration has been increased by 52% 5 minutes after application
- Wrinkles decrease by 77,86% in Delta D, 5 minutes after application
- Wrinkles decrease by 68,47% in Delta W, 5 minutes after application

ISO 16128 Indexes

Natural Origin Content: 75,71%
Natural Content: 13,1%

Organic Origin Content: 0,1%
Organic Content: 0,1%

Important

Fiflow® BTX should not be heated and airless packaging is recommended for the end product.
Fiflow® formulas should be made at 10°C.